

Phlox drummondii Hook.
Phlox subulata L.
Phlox xprocumbens Lehm.
Phlox kelseyi Britton x Phlox subulata L.
Phlox L.
Simplified Standard Protocol: SSP/VBL/4.rev 2

Botanical taxon:	Phlox drummondii Hook. Phlox subulata L. Phlox xprocumbens Lehm. Phlox kelseyi Britton x Phlox subulata L. Phlox L.	
Common Name (when known):	Phlox	
Date of preparation of SSP:	2012	
Date of revision of SSP:	01-01-2020; 2 nd revision 08-12-2022	
SSP revised by:	G. van der Wardt; 2 nd revision by K. Berbee	
Sample to be examined:	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	Phlox drummondii	1/12
	Phlox L.	1/12
	Phlox subulata	15/6
	Phlox xprocumbens	15/6
	Phlox kelseyi Britton x P. subulata L.	15/6
Submission date/period:	Phlox drummondii	1/4 - 30/4
	Phlox L.	1/4 - 30/4
	Phlox subulate	15/8 - 15/9
	Phlox xprocumbens	15/8 - 15/9
	Phlox kelseyi Britton x P. subulata L.	15/8 - 15/9
Plant Quantity:	24 young plants of commercial standard Able to show all their characteristics in the first year of examination	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen	
Name:	Team Support Variety Testing Department	
E-mail:	teamsupport@rasraad.nl	
List of grouping characteristics:	NO, (if yes put as annex)	
Minimum number of plants in trial:	Vegetative: 20	Seed: not appl.
Minimum number of plants observed by measuring or counting:	Vegetative: 1	Seed: not appl.
Give description of when/where observations on the leaf should take place:	On fully expanded leaves taken from the middle third of the stem at full flowering	
Give description of when observations on the flower should take place:	On fully expanded flowers at full flowering	
Give description of when/where the other observations should take place:	At full flowering	

Test will take place:	Phlox drummondii	GREENHOUSE
	Phlox L.	IN THE OPEN
	Phlox subulata	IN THE OPEN
	Phlox xprocumbens	IN THE OPEN
	Phlox kelseyi Britton x P. subulata L.	IN THE OPEN

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of off-types allowed: one off-type allowed in a sample size of 24 plants.

Table of characteristics: PRESENT (see annex)
(if present, please annex the table of characteristics and explanations)

Literature: PRESENT
(when present, please annex to this document)

Table of characteristics

Plant: height
Stem: thickness on central third
Stem: colour
Stem: pubescence
Stem: length of internode of central third
Leaf blade: length
Leaf blade: width
Leaf blade: shape
Leaf blade: colour of upper side
Leaf blade: colour of lower side
Leaf blade: shape in cross section
Leaf blade: pubescence
Leaf blade: shape of apex
Inflorescence: number of flowers
Flower: diameter
Pedicel: length
Pedicel: colour
Pedicel: pubescence
Calyx: length
Calyx: colour
Calyx: pubescence
Corolla tube: length
Corolla tube: diameter just below lobes
Corolla tube: colour
Corolla tube: pubescence
Corolla lobe: length
Corolla lobe: width
Corolla lobe: shape
Corolla lobe: shape of apex
Corolla lobe: main colour upper side
Corolla lobe: 'eye'
Corolla lobe: diameter 'eye'
Corolla lobe: colour 'eye'
Corolla lobe: colour lower side
Anther: colour
Style: length
Style: colour
Stigma: colour
Ovary: colour
Literature: Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B. Graf The Encyclopedia of Garden Flowers: K&G Bryant