

## Tradescantia <u>Simplified standard protocol: SSP/TDC/3</u>

Examination office	Naktuinbouw	
Reference of the protocol	SSP/TDC/3	
Date of preparation of the protocol	01/09/2021	
Date of entry into force of the protocol	01/09/2021	
Botanical taxon:	Tradescantia L.  Tradescantia cerinthoides kunth Tradescantia albiflora Tradescantia spathacea Sw. Tradescantia virginiana L.	
Common Name (when known):	Spider wort Tradescantia Wandering-Jew Spider wort Tradescantia virginiana L.	
Way of propagation of the plants to be examined	Self or cross pollinated seed propagated □  Vegetatively propagated ⊠	
Number of growing cycles:	1 ⋈ 2 □ Other □ specify Click or tap here to enter text.	
List of grouping characteristics	Yes ⊠ if yes put as annex No □	
Minimum number of plants in trial	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place	Observation on the flower should take place: at full flowering Observation on the leaf should take	



	place: after 6 month growing in the test facility.	
	Other observations should take	
	place: after 6 month growing in the test facility.	
Uniformity:		
<ul> <li>For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-types are allowed.</li> </ul>		
<ul> <li>For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known.</li> </ul>		
Table of share staristics	Present ⊠	
Table of characteristics	Not available $\square$	
Literature	Present ⊠	
(when present, please annex to this document)	∆hsent □	



## **Table of characteristics: Tradescantia**

	e of Characteristics: Tradescantia
1.	Plant: height
2.	Plant: diameter
3.	Stem: length of internodes
	Stem: thickness of internodes
	Stem: colour
6.	Stem: anthocyanin coloration
0.	Stem. and ocyanin coloradon
7	Charthy laurath
7.	Sheath: length
8.	Sheath: width
	Sheath: colour
10.	Sheath: anthocyanin coloration
11.	Leaf blade: length
	Leaf blade: width
	Leaf blade: shape
	Leaf blade: position of broadest part
	Leaf blade: number of colours
	Leaf blade: main colour of upper side
	Leaf blade: secondary colour of upper side
18.	
	Leaf blade: pubescence
20.	Leaf blade: shape of apex
21.	
22	Peduncle: length
	Peduncle: colour
25.	redunce: colodi
24	Calvy longth
	Calyx: length
	Calyx: width
	Calyx: colour
	Calyx: anthocyanin coloration
28.	Calyx: puberscence
29.	Flower: diameter
30.	Petal: length
	Petal: width
	Petal: shape of apex
	Peta: number of colours
	Petal: main colour RHS Colour Chart (indicate reference number)
35.	Petal: secondary colour RHS Colour Chart (indicate reference number)
36.	Anther: colour
37.	Style: colour
	rature:
	ne that flower: I. Clarke, H. Lee
	pperate Garden Plant Families: P. Goldblatt, J.C. Manning
· Cil	ported Caraci. Flatter attitudes 1.1 Collaborate Stort Harming