

Rhipsalis
Simplified standard protocol: SSP/RBA/1.rev

Botanical taxon: Rhipsalis baccifera subsp. Baccifera (J.S. Muell.)
Stearn
Rhipsalis clavata F.A.C. Weber
Rhipsalis lindbergiana K.Schum.
Rhipsalis ewaldiana Barthlott & N.P Taylor
Rhipsalis teres (Vell.) Steud.

Common Name (when known): Rhipsalis
Date of preparation of SSP: 02-01-2011
Date of revision of SSP: 01-01-2020
SSP revised by: W.A. Wietsma

Sample to be examined: VEGETATIVE
Number of growing cycles: 1 year

Closing date for applications: 1/12
Submission date/period: 1/3 - 31/3
Seed/Plant Quantity: 24 young plants
Able to show all their characteristics in the first year of examination

Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen
Name: Team Support Variety Testing Department
E-mail: teamsupport@rasraad.nl

List of grouping characteristics: NO, (if yes put as annex)
Minimum number of plants in trial: Vegetative: 20 Seed: not appl.
Minimum number of plants observed by measuring or counting: Vegetative: 1 Seed: not appl.

Give description of when observations on the flower should take place:
At full flowering (if present)
Give description of when/where observations on the leaf should take place:
Winter
Give description of when/where the other observations should take place:
Winter

Test will take place: GREENHOUSE

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24

Table of characteristics: PRESENT (see annex)
(if present, please annex the table of characteristics and explanations)

Literature: PRESENT
(if present, please annex to this document)

Table of characteristics Rhipsalis

Plant: attitude: erect/creeping/hanging
Plant: height
Plant: width
Plant: aerial roots: (1) absent, (9) present
Young Stem: color (RHS color chart)
Young Stem: anthocyanin coloration: (1) absent, (9) present
Young Stem: intensity of anthocyanin coloration: weak/medium/strong
Young Stem: cross section: shape: flat/round/triangle
Stem: arrangement
Stem: length
Stem: width
Stem: cross section: shape: flat/round/triangle
Stem: color (RHS color chart)
Stem: anthocyanin coloration: (1) absent, (9) present
Stem: anthocyanin coloration: intensity: weak/medium/strong
Stem: (leaf) scales: (1) absent, (9) present
Stem: pubescence: (1) absent, (9) present
Stem: pubescence: intensity: weak/medium/strong
Stem: black spots: (1) absent, (9) present
Stem: black spots: density: weak/medium/strong
Young Stem: color (RHS color chart)
Young Stem: anthocyanin coloration: (1) absent, (9) present
Young Stem: intensity of anthocyanin coloration: weak/medium/strong
<i>Inflorescence: if present</i>
Inflorescence: type
Flower: bud: shape
Flower: bud: width
Flower: bud: length
Flower: bud: color, just before opening (RHS color cart)
Flower: width
Flower: height
Flower: number of perianth leaves
Flower: single/double
Flower: perianth leaves: shape
Flower: perianth leaves: color (RHS color chart)
Flower: perianth leaves: main vein: color (RHS color chart)
Flower: perianth leaves: pubescence: (1) absent, (9) present
Flower: perianth leaves: pubescence: intensity: weak/medium/strong
Stamen: number: few/medium/many
Stamen: length
Stamen: color
Anther: color
Style: shape

Style: length
Style: color
Berry: shape
Berry: size (diameter)
Berry: color (RHS color chart)
Stigma: color
Literature: Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf Atrium Tuinplanten Encyclopedie: C. Brickell