



## Technical questionnaire

**onion, echalion, shallot, grey shallot**

**Version 9**

*Mandatory fields or sections are marked with an asterisk (\*)*

---

**01 . Botanical taxon: name of the genus, species or sub-species to which the variety belongs:**

*Allium cepa* (Aggregatum Group)

*Allium cepa* (Cepa group)

*Allium oschaninii* O. Fedtsch.

Other species (please specify)

---

**02 . Application code:**

For office use only

---

**03 . Breeder's reference:**

Breeder's Ref.

---

**04 . Information on the breeding scheme and propagation of the variety \***

**04 . 01 . Type of material \***

*(this question could be confidential)*

hybrid

cross-pollinated variety

self-pollinated variety

parent line

**04 . 02 . Method of propagation of the variety \***

*(this question could be confidential)*

seed propagated

vegetatively propagated

**04 . 03 . Other information on genetic origin and breeding method***(this question could be confidential)*

Please specify

**05 . Characteristics of the variety to be indicated \***

(the number in brackets refers to the corresponding characteristic in the CPVO Technical Protocol; please mark the state of expression which best corresponds)

**05 . 01 . Plant: number of leaves per pseudostem (1) \***

1 - very few

2 - very few to few

3 - few SY300 (O)

4 - few to medium

5 - medium The Kelsae (O)

6 - medium to many

7 - many Yellow Sweet Spanish (O)

8 - many to very many

9 - very many

**05 . 01.01 . Foliage: waxiness (3) \***

1 - absent or very weak

2 - very weak to weak

3 - weak Yellow Sweet Spanish (O)

4 - weak to medium

5 - medium Hikeeper (O), Golden Gourmet (S)

6 - medium to strong

7 - strong Calypso (O), Flevo (O), Santé (S)

8 - strong to very strong

9 - very strong

**05 . 02 . Foliage: intensity of green colour (4) \***

1 - very light	Bretor (S)
2 - very light to light	
3 - light	Guimar (O), Yellow sweet spanish (O), Tropix (S)
4 - light to medium	
5 - medium	Caribo (O), Texas Grano 502 (O), Golden Gourmet (S)
6 - medium to dark	
7 - dark	Hikeeper (O), La Reine (O), Santé (S)
8 - dark to very dark	
9 - very dark	

**05 . 03.01 . Seed propagated varieties only: Bulb : Tendency to split into bulblets (with dry skin around each bulblet) (10) (G)**

1 - absent or very weak	Cuisse de Poulet du Poitou (O), Lagos (O)
2 - very weak to weak	
3 - weak	
4 - weak to medium	
5 - medium	Mirage (S)
6 - medium to strong	
7 - strong	Bonilla (S), Creation (S), Longor (S), Mikor (S)
8 - strong to very strong	
9 - very strong	Delvad (S), Rox (S), Tropix (S)

**05 . 03.02 . Bulb : degree of splitting into bulblets (with dry skin around each bulblet) (11) (G) \***

1 - absent or very weak	Cuisse de Poulet du Poitou (O)
2 - very weak to weak	
3 - weak	
4 - weak to medium	
5 - medium	Santé (S)
6 - medium to strong	
7 - strong	
8 - strong to very strong	
9 - very strong	Giselle (S)

**05 . 04.01 . Onion varieties only: Bulb: size (12.1)**

1 - very small	
2 - very small to small	
3 - small	
4 - small to medium	
5 - medium	Lagos
6 - medium to large	
7 - large	The Kelsae
8 - large to very large	
9 - very large	

**05 . 04.02 . Shallot varieties only: Bulblet: size (12.2)**

1 - very small	
2 - very small to small	
3 - small	Atlas
4 - small to medium	
5 - medium	Spring Field, Topper
6 - medium to large	
7 - large	Delicato, Santé
8 - large to very large	
9 - very large	

**05 . 05 . Bulb/Bulblet: general shape (in longitudinal section) (18) (G) \***

1 - elliptic	Owa (O), Longor (S)
2 - medium ovate	Birnförmige (O), Rossa lunga di Firenze (O), Breton (S)
3 - broad elliptic	Ailsa Craig (O), Beacon (O), Hiball (O), Vigarmor (S)
4 - circular	Lagos (O), Pikant (S)
5 - broad ovate	Hysam (O), Arvro (S)
6 - broad obovate	Lilia (O), Texas Grano 502 (O)
7 - rhombic	Zittauer gelbe (O)
8 - transverse medium elliptic	Sturka (O), Stuttgarter Riesen (O), Atlantic (S), Golden Gourmet (S)
9 - transverse narrow elliptic	Brunswijker (O), De Moissac (O), Paille des vertus (O), Pompei (O)

**05 . 06 . Bulb/Bulblet: base colour of dry skin (23) (G) \***

1 - white	La Reine (O), Pompei (O)
2 - grey	Griselle (S)
3 - green	
4 - yellow	Zittauer gelbe (O), Creation (S), Golden Gourmet (S), Topper (S)
5 - brown	Valenciana Temprana (O), Delicato (S), Mirage (S), Mikor (S), Pikant (S)
6 - pink	Colorada de Figueras (O), Rox (S), Santé (S)
7 - red	Brunswijker (O), Red Baron (O)

**05 . 07 . Bulb/Bulblet: hue of colour of dry skin (in addition to base colour) (25) \***

1 - absent	Pompei (O)
2 - greyish	
3 - greenish	
4 - yellowish	Topper (S)
5 - brownish	Santé (S)
6 - pinkish	Delicato (S)
7 - reddish	Mikor (S), Mirage (S), Pikant (S)
8 - purplish	

**05 . 08 . Bulb/Bulblet: number of growing points per kg (27) (G) \***

1 - very low	Barletta (O), Pompei (O)
2 - very low to low	
3 - low	Cuisse de Poulet du Poitou (O), Figaro (O), Owa (O)
4 - low to medium	
5 - medium	Longor (S), Mirage (S), Prisma (S)
6 - medium to high	
7 - high	Bonilla (S), Creation (S), Mikor (S)
8 - high to very high	
9 - very high	Griselle (S), Rox (S), Tropix (S)

**05 . 09 . Bulb/Bulblet: dry matter content (28) \***

1 - very low	Please indicate the dry matter content in percentage
2 - very low to low	Please indicate the dry matter content in percentage
3 - low	Please indicate the dry matter content in percentage
4 - low to medium	Please indicate the dry matter content in percentage
5 - medium	Please indicate the dry matter content in percentage
6 - medium to high	Please indicate the dry matter content in percentage
7 - high	Please indicate the dry matter content in percentage
8 - high to very high	Please indicate the dry matter content in percentage
9 - very high	Please indicate the dry matter content in percentage

**05 . 10 . Onion varieties only: Time of harvest maturity for autumn sown trials (foliage fall-over in 80% of plants) (33)**

1 - very early Please indicate comparable variety(ies) of your choice

2 - very early to early Please indicate comparable variety(ies) of your choice

3 - early Please indicate comparable variety(ies) of your choice

4 - early to medium Please indicate comparable variety(ies) of your choice

5 - medium Please indicate comparable variety(ies) of your choice

6 - medium to late Please indicate comparable variety(ies) of your choice

7 - late Please indicate comparable variety(ies) of your choice

8 - late to very late Please indicate comparable variety(ies) of your choice

9 - very late Please indicate comparable variety(ies) of your choice

**05 . 10.01 . Onion varieties only: Time of harvest maturity for spring sown trials (foliage fall-over in 80% of plants)**  
(34.1)

1 - very early	Please indicate comparable variety(ies) of your choice
2 - very early to early	Please indicate comparable variety(ies) of your choice
3 - early	Please indicate comparable variety(ies) of your choice
4 - early to medium	Please indicate comparable variety(ies) of your choice
5 - medium	Please indicate comparable variety(ies) of your choice
6 - medium to late	Please indicate comparable variety(ies) of your choice
7 - late	Please indicate comparable variety(ies) of your choice
8 - late to very late	Please indicate comparable variety(ies) of your choice
9 - very late	Please indicate comparable variety(ies) of your choice



**05 . 10.02 . Shallot varieties only: Time of harvest maturity (foliage fall-over in 80% of plants) (34.2)**

1 - very early	Please indicate comparable variety(ies) of your choice
2 - very early to early	Please indicate comparable variety(ies) of your choice
3 - early	Please indicate comparable variety(ies) of your choice
4 - early to medium	Please indicate comparable variety(ies) of your choice
5 - medium	Please indicate comparable variety(ies) of your choice
6 - medium to late	Please indicate comparable variety(ies) of your choice
7 - late	Please indicate comparable variety(ies) of your choice
8 - late to very late	Please indicate comparable variety(ies) of your choice
9 - very late	Please indicate comparable variety(ies) of your choice

**05 . 10.03 . Time of sprouting during storage (35) \***

1 - very early	
2 - very early to early	
3 - early	Golden Bear (O), The Kelsae (O)
4 - early to medium	
5 - medium	Hygro (O), Hyper (O)
6 - medium to late	
7 - late	Marion (O)
8 - late to very late	
9 - very late	

**05 . 11 . Male sterility (36) (G) \***

1 - absent or very weak Please indicate the percentage of male sterile plants

2 - weak Please indicate the percentage of male sterile plants

3 - strong Please indicate the percentage of male sterile plants

**06 . Similar varieties and differences from these varieties**

Please note that information on similar varieties may help to identify comparable varieties and can avoid an additional period of testing.

**06 . 01 . Are there any similar varieties known? \***

Yes

No

**06 . 02 . Similar varieties and differences from these varieties: \***

Denomination(s) of variety(ies) similar to your candidate variety	Characteristic(s) in which your candidate variety differs from the similar variety(ies)	Describe the expression of the characteristic(s) for the similar variety(ies)	Describe the expression of the characteristic(s) for your candidate variety

**07 . Additional information which may help to distinguish the variety \*****07 . 00 . Onion varieties only: Type**

onion set production

silverskin

normal sowing onion

overwintering

other

Please indicate type

**07 . 01 . In addition to the information provided in sections 5 and 6, are there any additional characteristics which may help to distinguish the variety? \***

Yes, specify

No

**07 . 02 . Are there any special conditions for growing the variety or conducting the examination? \***

Yes, specify

No

**07 . 03 . Resistances to pests and diseases \***

Yes, specify

No

**07 . 04 . Special conditions for testing the variety \***

**07 . 04.01 . Day length conditions which favour full bulb development \***

short day

semi-short day

semi-long day

long day

**07 . 05 . Other information \***

Yes, specify

No

**07 . 06 . Photo \***

It is highly recommended to provide pictures. Otherwise, the organisation of the technical examination will be rendered less efficient, with the risk of an additional year of technical examination at the costs of the applicant.

---

**08 . GMO-information \***

**08 . 01 . GMO-information required \***

The variety represents a Genetically Modified Organism within the meaning of Article 2(2) of Council Directive EC/2001/18 of 12/03/2001.

Yes

If yes, please attach in point 08.02 a copy of the written attestation of the responsible authorities stating that a technical examination of the variety under Articles 55 and 56 of the Basic Regulation does not pose risks to the environment according to the norms of the above-mentioned Directive.

No

**08 . 02 . In case of GMO, joint attestation of the responsible authorities stating that a technical examination of the variety under Articles 55 and 56 of the Basic Regulation does not pose risks to the environment according to the norms of the above-mentioned Directive.**

**DECLARATIONS \***

I/we hereby declare that to the best of my/our knowledge the information given in this form is complete and correct.

Place

Date

Name

Signature