

Technical questionnaire

| Apium graveolens L. var. rapaceum (Mill.) Gaud. | | | | | |
|---|--|--|--|--|--|
| Celeriac | | | | | |
| Version 8 - Publication date: 12/06/2024 | | | | | |
| Mandatory fields or sections are marked with an asterisk (*) | | | | | |
| 04 . Information on the breeding scheme | and propagation of the variety | | | | |
| 04.01. Type of material * | | | | | |
| O hybrid | | | | | |
| O cross-pollinated variety | | | | | |
| O self-pollinated variety | | | | | |
| O parent line | | | | | |
| 04.01.01. Parental line use* | | | | | |
| In many cases there is a link in morphol its hybrids. Therefore, it is recommend where the parental line is used. This ma and lowers the risk of an additional year confidentially and only share with the ex | ogical expression of characteristics between the parent line and ed to provide information about the identity of hybrid varieties kes the organisation of the technical examination more efficient at the costs of the applicant. This information will be dealt with amination office in charge of the technical examination. | | | | |
| Please indicate for the production of which hybrid variety(ies) the parental line is used | | | | | |
| * | | | | | |
| 04.02. Method of propagation of the varie | ety* | | | | |
| O seed propagated | | | | | |
| O vegetatively propagated | | | | | |
| 04.03. Other information on genetic origi | n and breeding method | | | | |
| Please specify | | | | | |
| 05 . Characteristics | | | | | |
| (the number in brackets refers to the corres | sponding characteristic in the CPVO Technical Protocol; please mar | | | | |
| the state of expression which best correspo | nds). | | | | |
| (1) 05.01. Plant: height * | | | | | |
| ☐ 1 - very short | | | | | |

Breeder's ref.: undefined ☐ 2 - very short to short ☐ 3 - short ☐ 4 - short to medium ☐ 5 - medium ☐ 6 - medium to tall ☐ 7 - tall ■ 8 - tall to very tall 9 - very tall (2) 05.02. Foliage: attitude * O 1 - erect O 2 - erect to semi-erect O 3 - semi-erect Q 4 - semi-erect to horizontal O 5 - horizontal (5) 05.03. Foliage: green coloration of fully developed leaves * ☐ 1 - very light ☐ 2 - very light to light ☐ 3 - light 4 - light to medium ☐ 5 - medium ☐ 6 - medium to dark ☐ 7 - dark ■ 8 - dark to very dark 9 - very dark (11) (G) 05.04. Petiole: anthocyanin coloration* O 1 - absent O 9 - present (12) 05.05. Leaf blade: size of terminal leaflet * ☐ 1 - very small ☐ 2 - very small to small ☐ 3 - small ☐ 4 - small to medium



☐ 5 - medium

☐ 6 - medium to large

| reeder's ref. | : undefined | | | | |
|---|-------------------------------|--|--|--|--|
| | 7 - large | | | | |
| | 8 - large to very large | | | | |
| | 9 - very large | | | | |
| (13) 05.06. Leaflet: shape of tips on margi | | | | | |
| 0 | 1 - pointed | | | | |
| 0 | 2 - intermediate | | | | |
| 0 | 3 - rounded | | | | |
| (15) 05.07 | '. Leaflet: spacing of lobes* | | | | |
| 0 | 1 - not touching | | | | |
| • | 2 - touching | | | | |
| | 3 - overlapping | | | | |
| | | | | | |
| (16) 05.08 | . Tuber: size * | | | | |
| | 1 - very small | | | | |
| | 2 - very small to small | | | | |
| _ | 3 - small | | | | |
| | 4 - small to medium | | | | |
| | 5 - medium | | | | |
| | 6 - medium to large | | | | |
| | 7 - large | | | | |
| | 8 - large to very large | | | | |
| | 9 - very large | | | | |
| (18) 05.09 | . Tuber: main color of skin* | | | | |
| 0 | 1 - whitish | | | | |
| 0 | 2 - brown | | | | |
| (20) 05.10 | . Tuber: insertion of roots * | | | | |
| | 1 - very low | | | | |
| | 2 - very low to low | | | | |
| | 3 - low | | | | |
| | 4 - low to medium | | | | |
| | 5 - medium | | | | |
| | 6 - medium to high | | | | |
| | 7 - high | | | | |

☐ 8 - high to very high



| Breeder's ref.: undefined | | | | | | | |
|--|---|--|--|--|--|--|--|
| | 9 - very high | | | | | | |
| (23) 05.11. Tuber: shape in longitudinal section * | | | | | | | |
| 0 | 1 - broad elliptic | | | | | | |
| 0 | 2 - round | 2 - round | | | | | |
| 0 | 3 - transverse b | 3 - transverse broad elliptic | | | | | |
| 0 | 4 - truncate conical | | | | | | |
| 0 | 5 - flattened tru | 5 - flattened truncated conical | | | | | |
| (24) 05.12 | 2. Tuber: color of | flesh* | | | | | |
| 0 | 1 - white | | | | | | |
| 0 | 2 - ivory | 2 - ivory | | | | | |
| 05.13. Ma | 05.13. Male sterility* | | | | | | |
| 0 | 1 - absent | | | | | | |
| 0 | 9 - present | | | | | | |
| 05.13.1. N | lale sterility* | | | | | | |
| | S/other: * | | | | | | |
| 06 . Similar varieties and differences from these varieties 06.1. Are there any similar variety(ies) known?* | | | | | | | |
| 0 | 1 - yes | | | | | | |
| 0 | 2 - no | | | | | | |
| 06.2. Simi | lar varieties and | l differences from these va | rieties: * | | | | |
| Denomir similar v | nation of variety | Characteristic in which the similar variety is different | State of expression of similar variety | State of expression of candidate variety | | | |
| | | | | | | | |
| 07 . Addit | 07 . Additional information which may help to distinguish the variety | | | | | | |
| 07.01. Resistances to pests and diseases* | | | | | | | |
| O 1 - yes (please specify): | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| • | 2 - no | | | | | | |



| 07.02 | Spe | ecial conditions for the examinatio | n of the variety * |
|---------|-------|---------------------------------------|---|
| | 0 | 1 - yes (please specify): | |
| | 0 | 2 - no | · |
| 07.03 | . Oth | her information * | |
| | 0 | 1 - yes (please specify): | |
| | 0 | 2 - no | |
| | | , , | odified organism (GMO) within the meaning of Article 2(2) of which requires authorization for release in the environment: |
| | 0 | 1 - yes | |
| | 0 | 2 - no | |
| 08.b. | lf ye | es, has such authorization been obt | ained?* |
| | 0 | 1 - yes | |
| | 0 | 2 - no | |
| 08.c. I | f ye | es, please attach a copy of such an a | nuthorization * |
| | Doc | ocuments to be attached | |

