

**Adenium Roem. & Schult**  
**Simplified Standard Protocol: SSP/ADN/2**

---

|   |   |                 |
|---|---|-----------------|
| Botanical taxon:  | Adenium Roem. & Schult  |                 |
| Common Name:  | Adenium   |                 |
| Botanical taxon:  | Adenium obesum (Forssk.) Roem et Schult                                 |                 |
| Common Name (when known):   | Adenium   |                 |
| Date of preparation of SSP:   | 09-08-2011  |                 |
| Date of revision of SSP:  | 23-02-2020  |                 |
| SSP revised by:   | G. van de Wardt   |                 |
| <br>  |   |                 |
| Sample to be examined:  | VEGETATIVE  |                 |
| Number of growing cycles:   | 1 year  |                 |
| <br>  |   |                 |
| Closing date for applications:  | 1/12  |                 |
| Submission date/period:   | 1/3 - 31/3  |                 |
| Plant Quantity:   | 24 young plants   |                 |
|   | Able to show all their characteristics in the first year of examination |                 |
| Special conditions sample:  | None  |                 |
| <br>  |   |                 |
| Test station address:   | Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen                      |                 |
| Name:   | Team Support Variety Testing Department                                 |                 |
| E-mail:   | <a href="mailto:teamsupport@rasraad.nl">teamsupport@rasraad.nl</a>      |                 |
| <br>  |   |                 |
| List of grouping characteristics:   | NO, (if yes put as annex)   |                 |
| Minimum number of plants in trial:  | Vegetative: 20  | Seed: not appl. |
| Minimum number of plants observed by measuring or counting:                             | Vegetative: 1   | Seed: not appl. |
| <br>  |   |                 |
| Give description of when observations on the flower should take place:                  | At full flowering   |                 |
| Give description of when/where observations on the leaf should take place:              | At full flowering   |                 |
| Give description of when/where the other observations should take place:                | At full flowering   |                 |
| <br>  |   |                 |
| Test will take place:   | Glasshouse  |                 |
| <br>  |   |                 |
| Uniformity: A population standard of 1% with an acceptance probability of at least 95%. |   |                 |
| Number of off-types allowed: one off-type allowed in a sample size of 24 plants         |   |                 |
| <br>  |   |                 |
| Table of characteristics:   | PRESENT (see annex)   |                 |
| (if present, please annex the table of characteristics and explanations)                |   |                 |
| <br>  |   |                 |
| Literature:   | PRESENT   |                 |
| (when present, please annex to this document)   |   |                 |

**Table of characteristics Adenium**

|                                   |
|-----------------------------------|
| Plant: appearance                 |
| Plant: height                     |
| Plant: width                      |
| Plant: colour of the stem         |
|                                   |
| Leaf: length                      |
| Leaf: width                       |
| Leaf: colour upper side           |
| Leaf: colour lower side           |
| Leaf: shape                       |
| Leaf: glossiness                  |
| Leaf: shape in cross section      |
| Leaf: margin                      |
| Leaf: shape of distal half        |
| Leaf: shape of tip                |
|                                   |
| Pedicele: length                  |
| Pedicele: colour                  |
|                                   |
| Sepal: number                     |
| Sepal: length                     |
| Sepal: width                      |
| Sepal: colour                     |
| Sepal: shape of tip               |
|                                   |
| Flower: length                    |
| Flower: width                     |
| Flower: shape                     |
|                                   |
| Tube: length                      |
| Tube: colour outer side           |
| Tube: colour inner side           |
| Tube: pattern on inner side       |
| Tube: colour of pattern           |
| Tube: pubescence                  |
|                                   |
| Throat: colour                    |
| Throat: pubescence                |
|                                   |
| Lobes: number                     |
| Lobes: length                     |
| Lobes: width                      |
| Lobes: colour of inner side       |
| Lobes: colour of outer side       |
| Lobes: shape                      |
| Lobes: shape in cross section     |
| Lobes: shape of longitudinal axes |
| Lobes: margin                     |
| Lobes: undulation of margin       |
| Lobes: shape of tip               |
|                                   |
| Anther: length                    |
| Anther: colour                    |

|  |
|--|
| Anther: shape  |
| Anther: pubescence   |
|  |
| Style: length  |
| Style: colour  |
| Style: shape in cross section  |
|  |
| Literature:<br>Dictionary of Gardening: The Royal Horticultural Society<br>Hortica: A.B.Graf |