

## Diervilla Simplified standard protocol: SSP/DVL/1.rev

Botanical taxon: Common Name (when known): Date of preparation of SSP: Date of revision of SSP: SSP revised by:	Diervilla sessilifolia Buckley Bush Honeysuckle 2009 01-01-2020 W.A. Wietsma		
Sample to be examined: Number of growing cycles:	VEGETATIVE 1 year		
Closing date for applications: Submission date/period: Seed/Plant Quantity:	<ul><li>1/12</li><li>1/4 - 30/4</li><li>8 young plants</li><li>Able to show all their characteristics in the first year of examination</li></ul>		
Special conditions sample:	None		
Test station address: Name: E-mail:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen Team Support Variety Testing Department teamsupport@rasraad.nl		
List of grouping characteristics: Minimum number of plants in trial: Minimum number of plants observed by measuring or counting:	NO, (if yes put as annex) Vegetative: 7 d Vegetative: 1	Seed: not appl. Seed: not appl.	
Give description of when observations on the flower should take place: At full flowering Give description of when/where observations on the leaf should take place: At full flowering Give description of when/where the other observations should take place: At full flowering			

Test will take place:

OUTDOORS

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 8

Table of characteristics:PRESENT (see annex)(if present, please annex the table of characteristics and explanations)

Literature: PRESENT (when present, please annex to this document)



Table of characteristics Diervilla		
Plant: attitude creeping/upright		
Plant: height		
Stem: consistence herbaceous/lignified		
Stem: ramification absent/present		
Stem: thickness at base		
Stem: color		
Stem: pubescence		
Internodes: length		
Leaf: arrangement		
Leaf: Petiole: length		
Leaf: Blade: length		
Leaf: Blade: width		
Leaf: Blade: shape		
Leaf: Blade: first color of upper side		
Leaf: Blade: covering % leaf surface		
Leaf: Blade: second color of upper side		
Leaf: Blade: covering % leaf surface		
Leaf: Blade: color of lower side		
Leaf: Blade: shape in cross section (concave/flat/convex)		
Leaf: Blade: shape between veins (plicate/flat)		
Leaf: Blade: margin: type of incisions		
Leaf: Blade: shape of apex		
Leaf: Blade: shape of base		
Inflorescence: type		
Peduncle: length		
Peduncle: width		
Flower: Pedicel: length		
Flower: Pedicel: pubescence		
Flower: Pedicel: color		
Flower: Pedicel: anthocyanin coloration		
Flower: width		
Flower: color		
Flower: single/double		
Flower: pubescence		
Flower: Calyx: number of lobes		
Flower: Calyx: shape of lobes		
Flower: Calyx: length		
Flower: Calyx: width:		
Flower: Calyx: color		
Flower: Calyx: anthocyanin coloration		
Flower: Calyx: pubescence		
Flower: Corolla: shape		
Flower: Corolla: length		
Flower: Corolla: width		
Flower: Corolla tube: color of base		
Flower: Corolla tube: color of top		
Flower: Corolla tube: pubescence on inner side		
Flower: Corolla: number of lobes		
Corolla Lobes: length		
Page 2 of 2		

## Table of characteristics Diervilla



Corolla Lobes: width
Corolla Lobes: shape
Corolla Lobes: color
Stamen: number
stamen: length
stamen: color
anther: color
style: length
style: color
stigma: color
Literature:

Atrium tuinplanten encyclopedie: C. Brickell The Encyclopedia of Garden Flowers: K&G Bryant Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf