

Tacca Simplified standard protocol: SSP/TCC/1.rev

Botanical taxon: Tacca chantrieri Andre, Tacca J.R. et G. Forst.,

Tacca chantrieri André x T. integrifolia Ker

Gawl.

Common Name (if known): Tacca
Date of preparation of SSP: 1-10-2010
Date of revision of SSP: 01-01-2020
SSP revised by: W.A. Wietsma

Sample to be examined: VEGETATIVE

Number of growing cycles: 1 year

Closing date for applications: 1/12 Submission date/period: 1/3 - 31/3

Seed/Plant Quantity: 24 young plants

Able to show all their characteristics in the first

year of examination

Special conditions sample: None

Test station address: Naktuinbouw, Sotaweg 22, 2371 AA,

Roelofarendsveen

Name: Team Support Variety Testing Department

E-mail: <u>teamsupport@rasraad.nl</u>

List of grouping characteristics: NO, (if yes put as annex)

Minimum number of plants in trial: Vegetative: 20 Seed: not appl.

Minimum number of plants observed

by measuring or counting: Vegetative: 1 Seed: not appl.

Give description of when observations on the flower should take place:

At full flowering (if present)

Give description of when/where observations on the leaf should take place:

Winter

Give description of when/where the other observations should take place:

Winter

Test will take place: GREENHOUSE

Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24

Table of characteristics: PRESENT (see annex)

(if present, please annex the table of characteristics and explanations)

Literature: PRESENT (see annex)

(if present, please annex to this document)



Table of characteristics Tacca

Plant: height
Leaf: petiole: length
Leaf: petiole: colour
Leaf: petiole: anthocyanin coloration
Leaf: petiole: anthocyanin intensity
Leaf: petiole: pubescence
Leaf: attitude
Leaf: sheath: length
Leaf: blade: shape
Leaf: blade: length
Leaf: blade: width
Leaf: colour of upper side
Leaf: colour of lower side
Leaf: distally recurved
Leaf: blistering
Leaf: shining
<u> </u>
Inflorescence: type
Inflorescence: number of flowers
Peduncle: length
Peduncle: width
Peduncle: colour
Peduncle:anthocyanin coloration
Peduncle: anthoyanin intensity
Peduncle: pubescence
1 caunole, pubescence
Involucral bracts: number
Involucral bracts: vorm
Involucral bracts: 2 outer bracts: length
Involucral bracts: 2 outer bracts: width
Involucral bracts: 2 outer bracts: whath
Involucral bracts: 2 outer bracts: colour (RHS)
Involucral bracts: 2 outer bracts: anthocyanin coloration outer side
Involucral bracts: outer bracts: anthocyanin coloration inner side
Involucral bracts: 2 outer bracts: shape top
Involucral bracts: 2 buter bracts: snape top Involucral bracts: 2 inner bracts: length
Involucral bracts: 2 inner bracts: width
Involucral bracts: 2 inner bracts: shape
Involucral bracts: 2 inner bracts: colour (RHS)
Involucral bracts: 2 inner bracts: anthocyanin coloration outer side
Involucral bracts: inner bracts: anthocyanin coloration inner side
Involucral bracts: 2 inner bracts: shape top
Filiformous bracts: number
Filiformous bracts: length
Filiformous bracts: attitude
Filiformous bracts: colour basally
Filiformous bracts: colour distally
Flower: pedicel: length
Flower: pedicel: width



Flower: pedicel: attitude Flower: pedicel: colour Flower: pedicel: anthocyanin coloration Perianth: shape Perianth: cross-section Perianth: throat: side view Perianth: throat: opening Perianth: throat: shape Perianth: throat: outer side colour Perianth: throat: anthocyanin coloration Perianth: throat: inner side colour Perianth: 3 outer segments: length Perianth: 3 outer segments: width Perianth: 3 inner segments: shape Perianth: 3 inner segments: length Perianth: 3 inner segments: width Perianth: 3 inner segments: shape Perianth: segments: colour (RHS) Perianth: segments: anthocyanin coloration Stamen: colour Pistal: length Pistal: colour Stigma: colour Literature: Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf

Atrium Tuinplanten Encyclopedie: C. Brickell