

**Callicarpa**  
**Simplified standard protocol: SSP/CLP/3.rev**

---

Botanical taxon:	Callicarpa L.	
Common Name (if known):	Bodinier's beautyberry	
Date of preparation of SSP:	11-07-2019	
Date of revision of SSP:	17-02-2021	
SSP data revised by:	W.A. Wietsma	
Sample to be examined:	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	1/12	
Submission date/period:	1/3 - 31/3	
Seed/Plant Quantity:	10 young bushes	
	Able to show all their characteristics in the first year of examination	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen	
Name:	Team Support Variety Testing Department	
E-mail:	<a href="mailto:teamsupport@rasraad.nl">teamsupport@rasraad.nl</a>	
List of grouping characteristics:	NO, (if yes put as annex)	
Minimum number of plants in trial:	Vegetative: 8	Seed: not appl.
Minimum number of plants observed by measuring or counting:	Vegetative: 1	Seed: not appl.
Give description of when observations on the flower should take place:	At full flowering	
Give description of when/where observations on the leaf should take place:	At full flowering	
Give description of when/where the other observations should take place:	At maturity of the berries	
Test will take place:	OUTDOOR	
Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 10		
Table of characteristics:	PRESENT (see annex)	
(if present, please annex the table of characteristics and explanations)		
Literature:	PRESENT	
(if present, please annex to this document)		

**Table of characteristics: Callicarpa**

Plant: attitude
Plant: height
Plant: width
Plant: older branches: colour
Plant: older branches: anthocyanin coloration
Plant: younger branches: colour
Plant: younger branches: anthocyanin coloration
Plant: lenticels:
Plant: lateral branches: angle with main branch
Buds: colour
Petiole: length
Petiole: colour
Petiole: anthocyanin coloration
Petiole: shape
Leaf blade: shape
Leaf blade: length
Leaf blade: width
Leaf blade: variegation
Leaf blade: position of variegation
Leaf blade: first colour of upper side (RHS)
Leaf blade: area of colour 1 relative to non-variegated area
Leaf blade: secondary colour of upper side (RHS)
Leaf blade: area of colour 2 relative to non-variegated area
Leaf blade: third colour of upper side (RHS)
Leaf blade: area of colour 3 relative to non-variegated area
Leaf blade: anthocyanin coloration
Leaf blade: shape in cross-section
Leaf blade: shape of margin
Leaf blade: shape of base
Leaf blade: shape of top
Leaf blade: top: recurvation
Leaf blade: glossiness: upper side
Leaf blade: glossiness: lower side
Leaf blade: pubescence
Inflorescence: position
Flower: width
Calyx: length
Callyx: colour
Corolla lobes: colour (RHS)

Filiment: colour
Anther: colour
Style: colour
Berries: number at each raceme
Berries: length
Berries: width
Berries: shape
Berries: colour (RHS)
Literature: Encyclopa of Garden Plants and Flowers: Lance Hattat Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf