

| Papaver |
|---|
| Simplified standard protocol: SSP/PPV/2.rev |

| • | • | | |
|--|--|------------------------------------|--|
| Botanical taxon: Common Name (when known): Date of preparation of SSP: Date of revision of SSP: SSP revised by: | Papaver orientale L. Poppy 2007 01-01-2020 W.A. Wietsma | | |
| Sample to be examined: Number of growing cycles: | VEGETATIVE 1 year | | |
| Closing date for applications: Submission date/period: Seed/Plant Quantity: Special conditions sample: | 1/12 1/4 – 30/4 24 young plants Able to show all its characteristics in the first year of examination None | | |
| Test station address: | Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen Team Support Variety Testing Department teamsupport@rasraad.nl | | |
| Name: E-mail: | | | |
| List of grouping characteristics: Minimum number of plants in trial: Minimum number of plants observed by measuring or counting: | NO, (if yes put as annex) Vegetative: 20 d Vegetative: 1 | Seed: not appl. Seed: not appl. | |
| Give description of when observations on the flower should take place: At full flowering Give description of when/where observations on the leaf should take place: At full flowering Give description of when/where the other observations should take place: Calyx: before opening flower; capsule: after ripening of fruit | | | |
| Test will take place: | OUTDOOR | | |
| Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24 | | | |
| Table of characteristics:PRESENT (see annex)(if present, please annex the table of characteristics and explanations) | | | |
| Literature: | PRESENT | | |

Literature: PRESENT (if present, please annex to this document)



Table of characteristics Papaver

| Plant: height (cm) |
|--|
| Plant: width (cm) |
| Peduncle: branching (absent/present) |
| Peduncle: shape in cross section |
| Peduncle: size in cross section (cm) |
| Peduncle: pubescence (absent/present) |
| Peduncle: intensity of pubescence |
| Peduncle: green color of basal part |
| Peduncle: green color of distal part |
| Rosette leaves: petiole: length (cm) |
| Rosette leaves: petiole: pubescence (absent/present) |
| Rosette leaves: petiole: intensity of pubescence |
| Rosette leaves: ribbing (absent/present) |
| Rosette leaves: blade: length |
| Rosette leaves: blade: width |
| Rosette leaves: blade: kind of large incisions |
| Rosette leaves: blade: color of upper side |
| Rosette leaves: blade: glossiness of upper side (absent/present) |
| Rosette leaves: blade: color of lower side |
| Rosette leaves: blade: glossiness of lower side |
| Rosette leaves: blade: shape in cross section |
| Rosette leaves: blade: pubescence (absent/present) |
| Rosette leaves: margin of blade: kind of small incisions |
| Cauline leaves: distribution along peduncle |
| Pedicel: length (cm) |
| Pedicel: color |
| Pedicel: pubescence (absent/present) |
| |
| Flower: size in cross section |
| Flower: number of petals |
| Calyx: number of sepals |
| Calyx: length of sepal just before opening (cm) |
| Calyx: width of sepal just before opening (cm) |
| Calyx: color |
| Calyx: intensity of anthocyanine coloration |
| Calyx: shape in cross section |
| Calyx: deciduous (yes/no) ?? |
| Petal: length (cm) |
| Petal: width (cm) |
| Petal: shape |
| Petal: color (RHS) |
| Petal: macule (absent/present) |
| Petal: type of incisions of margin |
| Petal: intensity of folding |
| |
| Stamen: number |
| Stamen: color of base |
| Stamen: color of distal part |
| |
| Anthers: color |
| Stigma: size |
| Stigma: color |
| Stigma: number of segments |
| Page 2 of 3 |



Capsule: height Capsule: width Capsule: shape (3-dimensional) Capsule: color Capsule: intensity of ribbing

Literature:

Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf The Encyclopedia of Garden Flowers: K&G Bryant