

Stachys
Simplified standard protocol: SSP/ANDO/2.rev

Examination office:	Naktuinbouw	
Reference of the protocol:	SSP/ANDO/2.rev	
Date of preparation of the protocol:	29/12/2022	
Date of entry into force of the protocol:	31/03/2022	
Botanical taxon:	Stachys L. Stachys byzantina K. Koch × Stachys debilis Kunth Betonica officinalis L.	
Common Name (when known):	Woundwort Lamb's Ears Stachys macrantha	
Way of propagation of the plants to be examined:	Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/>	
Number of growing cycles:	1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify	
List of grouping characteristics:	Yes <input type="checkbox"/> if yes put as annex No <input checked="" type="checkbox"/>	
Minimum number of plants in trial:	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place:	Observation on the flower should take place: at full flowering Observation on the leaf should take place: on fully grown leaves Other observations should take place: at full flowering	

<p>Uniformity:</p> <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed. - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 	
Table of characteristics:	Present <input checked="" type="checkbox"/> Not available <input type="checkbox"/>
Literature: (when present, please annex to this document)	Present <input checked="" type="checkbox"/> Absent <input type="checkbox"/>

Table of characteristics: Stachys

1.Plant: attitude	
2.Plant: height	
3.Plant: width	
4.Petiole: length	
5.Petiole: profile in cross section	
6.Petiole: pubescence	
7.Leaf blade: length	
8.Leaf blade: width	
9.Leaf blade: colour upper side	RHS Colour Chart (indicate reference number)
10.Leaf blade: colour lower side	RHS Colour Chart (indicate reference number)
11.Leaf blade: shape	
12.Leaf blade: colour of main vein compared to colour upper side	
13.Leaf: shape of base	
14.Leaf: surface	
15.Leaf: profile in cross section	
16.Leaf: pubescence	
17.Leaf: shape of margin	
18.Leaf: shape of distal half	
19.Leaf: shape of apex	
20.Inflorescence: position	
21.Inflorescence: length	
22.Inflorescence: width	
23.Flower: pedicel: length	
24.Flower: length	
25.Flower: width	
26.Calyx: length	
27.Calyx: colour	
28.Calyx: pubescence	
29.Flower: tube: length	
30.Flower: tube: width	
31.Flower: tube: colour	RHS Colour Chart (indicate reference number)
32.Flower: lower lip: length	
33.Flower: lower lip: width	
34.Flower: lower lip: shape	
35.Flower: lower lip: colour	RHS Colour Chart (indicate reference number)
36.Flower: upper lip: length	
37.Flower: upper lip: width	
38.Flower: upper lip: shape	
39.Flower: upper lip: colour	RHS Colour Chart (indicate reference number)
Literature: Dictionary of Gardening: The Royal Horticultural Society Die Freiland-Schmuckstauden; Jelitto, Schacht, Simon Hortica: A.B.Graf	