

Eutrochium
Simplified standard protocol: SSP/EMM/1

| | | |
|---|--|---------|
| Examination office: | Naktuinbouw | |
| Reference of the protocol: | SSP/EMM/1 | |
| Date of preparation of the protocol: | 01/09/2023 | |
| Date of entry into force of the protocol: | 01/11/2022 | |
| Botanical taxon: | Eutrochium maculatum (L.) E. E. Lamont var. maculatum Eutrochium purpureum (L.) E. E. Lamont var. purpureum | |
| Common Name (when known): | Eutrochium maculatum var. maculatum Gravelroot | |
| Way of propagation of the plants to be examined: | Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/> | |
| Number of growing cycles: | 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify Click or tap here to enter text. | |
| List of grouping characteristics: | Yes <input type="checkbox"/> if yes put as annex No <input checked="" type="checkbox"/> | |
| Minimum number of plants in trial: | Vegetative:20 | Seed: - |
| Minimum number of plants observed by measuring or counting: | Vegetative:1 | Seed: - |
| Give description of when observations should take place: | - | |

| | |
|--|---|
| <p>Uniformity:</p> <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1 % and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed. - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. | |
| Table of characteristics: | Present <input checked="" type="checkbox"/> Not available <input type="checkbox"/> |
| Literature: (When present, please annex to this document) | Present <input type="checkbox"/> Absent <input checked="" type="checkbox"/> |

Table of characteristics: Ceropegia

| |
|--|
| 1. Plant: length |
| 2. Stem: anthocyanin coloration |
| 3. Leaf blade: length |
| 4. Leaf blade: width |
| 5. Leaf blade: shape |
| 6. Leaf blade: color upper side |
| 7. Leaf blade: color lower side |
| 8. Leaf blade: anthocyanin coloration |
| 9. Leaf blade: pubescence |
| 10. Leaf blade: shape of margin |
| 11. Leaf blade: shape of apex |
| 12. Corymb: length |
| 13. Corymb: width |
| 14. Pedicel: length |
| 15. Pedicel: pubescence |
| 16. Pedicel: anthocyanin coloration |
| 17. Flower head: length |
| 18. Flower head: width |
| 19. Involucre: color |
| 20. Pappus: color |
| 21. Tubular flower: length |
| 22. Tubular flower: color |
| RHS Colour Chart (indicate reference number) |
| 23. Style: length |
| 24. Style: color |
| |
| |
| Literature: |
| - |