

Iris x germanica L.
Simplified standard protocol: SSP/IRS/2.rev

Botanical taxon:	Iris x germanica L.
Common Name (if known):	Bearded Iris
Date of preparation of SSP:	01-05-2013
Date of revision of SSP:	01-01-2020
SSP revised by:	W.A. Wietsma
Sample to be examined:	VEGETATIVE
Number of foreseen growing cycles:	1 year
Closing date for applications:	1/4
Submission date/period:	15/07 – 15/08
Seed/Plant quantity/quality:	24 rhizomes (plants) Able to show all their characteristics in the first year of examination
Special conditions sample:	None
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen
Name:	Team Support Variety Testing Department
E-mail:	teamsupport@rasraad.nl
List of grouping characteristics:	NO
Minimum number of plants in trial:	Vegetative: 20
Minimum number of plants observed by measuring or counting:	Vegetative: 1
Give description of when observations on the flower should take place:	At full flowering
Give description of when/where observations on the leaf should take place:	At full flowering
Test will take place:	OUTDOOR
Uniformity:	A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 24
Table of characteristics:	PRESENT (see annex)
(if present, please annex the table of characteristics and explanations)	
Literature:	PRESENT (see annex)
(if present, please annex to this document)	

Table of characteristics Iris

Plant: attitude			
Plant: height			
Leaf: length			
Leaf: width			
Leaf: colour			
Leaf: anthocyanin coloration	absent (1)		present (9)
Leaf: intensity of anthocyanin Coloration	light (3)	medium (5)	dark (7)
Leaf: cross section			
Leaf: shape of top			
Peduncle: length			
Peduncle: number of leaves at basal part			
Peduncle: thickness			
Peduncle: colour			
Peduncle: anthocyanin coloration	absent (1)		present (9)
Peduncle: intensity of anthocyanin Coloration	light (3)	medium (5)	dark (7)
Peduncle: pubescence			
Flower bud: colour			
Flower bud: anthocyanin coloration	absent (1)		present (9)
Flower bud: intensity anthocyanin Coloration	light (3)	medium (5)	dark (7)
Flower: size			
Flower: number of colours			
Pedicel: length			
Pedicel: colour			
Falls: length			
Falls: width			
Falls: shape			
Falls blade: ground colour of upper side	RHS Colour Chart (indicate reference number)		
Falls blade: conspicuousness of veins on upper side			
Falls blade: colour of veins on upper side			
Falls recurving of blade compared to claw			
Falls crenation of margin of blade			
Falls haft: ground colour of upper side	RHS Colour Chart (indicate reference number)		
Falls haft: conspicuousness of veins on upper side			
Falls haft: colour on upper side of veins			

Beard: colour	RHS Colour Chart (indicate reference number)
Standards: length	
Standards: width	
Standards: shape	
Standards blade: ground colour of upper side	RHS Colour Chart (indicate reference number)
Standards blade: conspicuousness of veins on upper side	
Standards blade: veins: colour on upper side of veins	
Standards blade: crenation of margin	
Standards haft: ground colour of upper side	RHS Colour Chart (indicate reference number)
Standards haft: conspicuousness of veins on upper side	
Standards haft: colour of upper side of veins	
Filament: colour	
Anther: colour	
Pollen: colour	
Style: length (including crest)	
Style: width (including crest)	
Style crest: length	
Style crest: width	
Style crest: colour of upper side	RHS Colour Chart (indicate reference number)
Style crest: colour of upper side of main vein	
Style crest: crenation of margin of blade	
Style crest: depth of incisions of margin	
Stigma: colour	
Literature: Dictionary of Gardening: The Royal Horticultural Society Hortica: A.B.Graf Atrium Tuinplanten Encyclopedie: C. Brickell	