

Phedimus takesimensis (Nakai) t'Hart
Simplified standard protocol: SSP/PHD/2.rev

Botanical taxon:	Phedimus takesimensis (Nakai) t'Hart	
Common Name (when known):	Caucasian stonecrop	
Date of preparation of SSP:	16-07-2018	
Date of revision of SSP:	15-02-2020	
SSP revised by:	W.A. Wietsma	
Sample to be examined:	VEGETATIVE	
Number of growing cycles:	1 year	
Closing date for applications:	1/12	
Submission date/period:	1/3 - 31/3	
Seed/Plant Quantity:	24 young plants of commercial standard Able to show all their characteristics in the first year of examination	
Special conditions sample:	None	
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen	
Name:	Team Support Variety Testing Department	
E-mail:	teamsupport@rasraad.nl	
List of grouping characteristics:	NO, (if yes put as annex)	
Minimum number of plants in trial:	Vegetative: 20	Seed: not appl.
Minimum number of plants observed by measuring or counting:	Vegetative: 1	Seed: not appl.
Give description of when observations on the flower should take place:	At full flowering	
Give description of when/where observations on the leaf should take place:	At full flowering	
Give description of when/where the other observations should take place:	At full flowering	
Test will take place:	OUTDOORS	
Uniformity: A population standard of 1% with an acceptance probability of at least 95%. Number of Off-types allowed: one off-type allowed in a sample size of 10		
Table of characteristics:	PRESENT (see annex)	
(if present, please annex the table of characteristics and explanations)		
Literature:	PRESENT	
(when present, please annex to this document)		

Table of characteristics: Phedimus takesimensis (Nakai) t'Hart

Plant: attitude
Plant: height
Plant: width
Stem: thickness at base
Stem: colour
Stem: anthocyanin coloration
Stem: intensity of anthocyanin coloration
Leaf: arrangement
Leaf: position
Leaf blade: length
Leaf blade: width
Leaf blade: thickness
Leaf blade: shape
Leaf blade: first colour of inner side
Leaf blade: distribution of first colour of inner side
Leaf blade: area covered by first colour of inner side
Leaf blade: secondary colour of inner side
Leaf blade: distribution of secondary colour of inner side
Leaf blade: area covered by secondary colour of inner side
Leaf blade: tertiary colour of inner side
Leaf blade: distribution of tertiary colour of inner side
Leaf blade: area covered by tertiary colour of inner side
Leaf blade: shape in cross section
Leaf blade: margin: type of incisions
Leaf blade: shape of apex
Inflorescence: type
Inflorescence: length
Inflorescence: width
Sepals: size
Sepals: shape of apex
Sepals: colour
Sepals: anthocyanin coloration
Sepals: intensity of anthocyanin coloration
Petals: length
Petals: shape
Petals: shape of apex
Petals: colour (RHS)
Anthers: colour
Pollen: colour
Ovary and pistils: size
Ovary and pistils: colour
Literature:
Encyclopaedia of Garden Plants and Flowers: Lance Hattat

Dictionary of Gardening: The Royal Horticultural Society
Hortica: A.B.Graf