

Actaea racemosa L. x Actaea simplex (DC.) Wormsk ex Prantl	
Simplified Standard Protocol: SSP/ACRS/1	

Botanical taxon:	Actaea racemosa L. x Actaea simplex (DC.) Wormsk ex Prantl		
Common Name (when known):	Bugbane		
Date of preparation of NP:	15-10-2014		
Date of revision of NP:	01-01-2020		
NP revised by:	G. van de Wardt		
Sample to be examined:	VEGETATIVE		
Number of growing cycles:	1 year		
Closing date for applications:	1/12		
Submission date/period:	1/3 - 31/3		
Plant Quantity:	24 young plants		
	Able to show all their charac	cteristics in the first	
Special conditions sample:	year of examination None		
Special conditions sample.	None		
Test station address:	Naktuinbouw, Sotaweg 22, 2371 AA, Roelofarendsveen		
Name:	Team Support Variety Testing Department		
E-mail:	teamsupport@rasraad.nl		
List of grouping characteristics:	NO, (if yes put as annex)		
Minimum number of plants in trial: Vegetative: 20 Seed: not appl.			
Minimum number of plants observed			
by measuring or counting:	Vegetative: 1	Seed: not appl.	
Give description of when observations on the flower should take place: At full flowering			
Give description of when/where observations on the leaf should take place:			
When leafs are fully developed.			
Give description of when/where the other observations should take place:			
When berries are fully developed			
Test will take place:	Outdoor		
Uniformity: A population standard of 1% with an acceptance probability of 95%. Number of off-types allowed: one off-type allowed in a sample size of 24 plants.			
Table of characteristics:	PRESENT (soo annov)		
Table of characteristics:PRESENT (see annex)(if present, please annex the table of characteristics and explanations)			
נוי ארבשבות, ארבשב מווויבא נווים נמטוב טו טומומטנפוושנוטה מווע פאאומוומנוטווש)			
Literature: PRESENT			
(when present, please annex to this document)			



Table of characteristics Actaea racemosa

Plant: attitude
Plant: height
Plant: width
Petiole: length
Petiole: colour
Petiole: anthocyanin coloration
Petiole: pubescence
Leaf: arrangement
Leaf: type
Leaf: length
Leaf: width
Leaf: colour upper side
Leaf: colour lower side
Leaf: shape of blade
Leaf: glossiness of upper side
Leaf: pubescence of upper side
Leaf: shape in cross section
Leaf: shape of margin
Leaf: shape of distal half
Leaf: shape of tip of leaflet at top
Peduncle: length
Peduncle: diameter
Peduncle: colour
Peduncle: anthocyanin coloration
Peduncle: pubescence at basal part
Peduncle: pubescence at distal part
Peduncle: colour of pubescence
Inflorescence: type
Inflorescence: length of terminal raceme
Inflorescence: width of terminal raceme
Inflorescence: attitude of terminal raceme
Inflorescence: position of laterals
Inflorescence: number of laterals
Flower: shape of bud
Flower: colour of bud
Flower: length
Flower: width
Flower: colour
Calyx: number of sepals
Calyx: length
Calyx: width
Calyx: colour
Calyx: profile in cross section
Stamen: number
Stamen: presence of petaloid stamen



Filament: length
Filament: colour
Anther: colour
Stigma colour
Carpel: position
Carpel: number
Carpel: length
Carpel: colour
Carpel: shape
Literature:
Dictionary of Gardening: The Royal Horticultural Society
Hortica: A.B.Graf
Die Freilandschmuckstauden: Jelitto, Schacht, Simon
Flora of North America