

Ficus
Simplified standard protocol: SSP/VGB/3.rev

Examination office:	Naktuinbouw
Reference of the protocol:	SSP/VGB/3.rev
Date of preparation of the protocol:	01/02/2023
Date of entry into force of the protocol:	01/03/2022
Botanical taxon:	<p>Ficus americana Aubl. subsp. guianensis (Ham.) C. C. Berg</p> <p>Ficus auriculata Lour.</p> <p>Ficus benghalensis L.</p> <p>Ficus binnendijkii Miq.</p> <p>Ficus bussei Warb. ex Mildbr. & Burret</p> <p>Ficus cyathistipula Warb.</p> <p>Ficus deltoidea Jack</p> <p>Ficus elastica Roxb. ex Hornem.</p> <p>Ficus L.</p> <p>Ficus lyrata Warb.</p> <p>Ficus microcarpa L. f.</p> <p>Ficus natalensis Hochst.</p> <p>Ficus petiolaris Kunth</p> <p>Ficus pumila L.</p> <p>Ficus punctata Thunb.</p> <p>Ficus religiosa L.</p> <p>Ficus sagittata Vahl</p> <p>Ficus stricta (Miq.) Miq.</p> <p>Ficus umbellata Vahl</p>
Common Name (when known):	<p>Ficus americana Aubl. subsp. Guianensis</p> <p>Roxburgh fig</p> <p>Ficus benghalensis</p> <p>Fig</p> <p>Ficus bussei</p> <p>Ficus cyathistipula</p>

	Ficus deltoidei Rubber Plant Fig tree Fiddle-leaf fig Ficus macrocarpa Bark-cloth fig Ficus petiolaris Fig pumila Ficus punctata Fig Ficus sagittate Ficus stricta Ficus umbellata	
Way of propagation of the plants to be examined:	Self or cross pollinated seed propagated <input type="checkbox"/> Vegetatively propagated <input checked="" type="checkbox"/>	
Number of growing cycles:	1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> Other <input type="checkbox"/> specify Click or tap here to enter text.	
List of grouping characteristics:	Yes <input type="checkbox"/> if yes put as annex No <input checked="" type="checkbox"/>	
Minimum number of plants in trial:	Vegetative:20	Seed: -
Minimum number of plants observed by measuring or counting:	Vegetative:1	Seed: -
Give description of when observations should take place:	Observation should take place: after 9 months of growing in the test facility	

<p>Uniformity:</p> <ul style="list-style-type: none"> - For the assessment of uniformity of vegetatively propagated, self-pollinated seed propagated varieties or F1-hybrids, a population standard of 1% and an acceptance probability of at least 95% should be applied. In the case of a sample size of 20 plants, 1 off-type is allowed - For the assessment of uniformity for cross-pollinated varieties, the recommendations for cross-pollinated varieties in the General introduction of UPOV should be applied. The variability within the variety should not exceed the variability of comparable varieties already known. 	
Table of characteristics:	<p>Present <input checked="" type="checkbox"/></p> <p>Not available <input type="checkbox"/></p>
Literature: (when present, please annex to this document)	<p>Present <input type="checkbox"/></p> <p>Absent <input checked="" type="checkbox"/></p>

